

FLEX Elektrowerkzeuge GmbH

Bahnhofstrasse 15
D-71711 Steinheim/Murr
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Floor and wall finishing

WST 700 VV

Order no. 350.311



Vario-Giraffe® wall and ceiling sander

- VV electronic control: controlled constant speed, soft-start, overload protection and speed selection with adjuster wheel
- Using a unique telescopic system, the Vario-Giraffe® adapts to your needs. Length adjustable from 1330 mm - 1730 mm. Open telescope lock lever, pull out handle and close lever. Handle rotates through 360°
- Adjustable locking screw for telescopic extension
- Ergonomic design with many different handling possibilities for fatigue-free working. The motor is always kept between the gripping positions, ensuring a perfect balance
- With round sanding head that can be exchanged with just a click
- Backing pad with hook and loop face
- Vacuum cleaning system: guard with a brush ring, flexible suction hose from the sanding head to the guide tube. Connection facility at the rear of the telescopic tube for FLEX industrial vacuum cleaner
- The brush ring is spring-mounted so that the round sanding head accurately follows all uneven contours. This allows the head to be applied with fingertip precision and also prevents any dust escaping
- Effective dust extraction from between the brush ring and the sanding pad (round) and through the 10-hole extraction ports prevents premature clogging of the abrasive and promotes a healthy, dust-free working environment
- The articulating sanding head can be adjusted to every tilt and angle.
- Ideally suited for sanding plaster boards, solid styropor insulation slabs, preparation for painting, polishing.

Technical attributes	WST 700 VV
Power input	710 watt
Power output	420 watt
No load speed	1000-1500 rpm
Dimensions in mm	1330-1730
Weight	4,8 kg

Standard equipment	
Round sanding head	350.346
Velcro sand paper, P 60	1 item from 348.503
Velcro sand paper, P 80	1 item from 348.511
Velcro sand paper, P 100	1 item from 348.538
Velcro sand paper, P 220	1 item from 348.546
Antistatic suction hose 32 mm Ø x 4 m with snap coupling and coupling bush for vacuum cleaner	
Carry case	1 piece

FLEX Elektrowerkzeuge GmbH

Bahnhofstrasse 15
D-71711 Steinheim/Murr
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Floor and wall finishing

Accessories

Velcro abrasive paper, Select, round



For grinding joint filler in drywall construction, punched for dust extraction.

Dimensions in mm:	Grit:	QTY/PKG:	Order no.
225 Ø	P 16	10	350.079
225 Ø	P 40	25	350.087
225 Ø	P 60	25	348.503
225 Ø	P 80	25	348.511
225 Ø	P 100	25	348.538
225 Ø	P 120	25	349.216
225 Ø	P 150	25	349.224
225 Ø	P 180	25	349.232
225 Ø	P 220	25	348.546
225 Ø	5x P 80/100/120/150/180	25	370.932

Round sanding head



Optimally suitable for finishing large surfaces on walls and ceilings.
Effective dust extraction, high surface removal rate.

QTY/PKG:	Order no.
1	350.346

FLEX Elektrowerkzeuge GmbH

Bahnhofstrasse 15
D-71711 Steinheim/Murr
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Floor and wall finishing

Velcro backing pad Ø 225, round



Hard backing pad with high removal rate, with use with velcro backed abrasives.

QTY/PKG: **Order no.**

1 **350.362**



Medium sanding pad for sanding down soft fillers. Velcro system for fixing of abrasives.

QTY/PKG: **Order no.**

1 **352.306**



Soft. Highly flexible sanding pad. Facilitates handling and allows for sensitive working. No sanding traces (half-moon effect) on the sanding pad being added. The velcro system is used to fasten the adhesive.

QTY/PKG: **Order no.**

1 **366.862**

Storage system for S 47, S 47 M, VCE 35 L AC, VCE 45 L AC, VCE 45 M AC



Fits on to the industrial vacuum cleaner for resting the WST 700 VV Giraffe® or MS 1706 FR wall chaser and vacuum hose.

QTY/PKG: **Order no.**

1 **350.370**

FLEX Elektrowerkzeuge GmbH

Bahnhofstrasse 15
D-71711 Steinheim/Murr
Phone +49 7144 828-0
Fax +49 7144 25899
info@flex-tools.com
www.flex-tools.com

FLEX

Floor and wall finishing

Anti-static vacuum hose



Anti-static suction hose Ø 32 mm x 4 m with snap coupling and coupling bush for vacuum cleaner incl. universal adapter (320.188) anti-static.

QTY/PKG:	Order no.
----------	-----------

1	354.953
---	---------